


FTCS-M131X-02DXX
10Gbps 220m Multi Mode Datacom SFP+ Transceiver

Features


- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆



Applications

- ◆
- ◆

Product description



Absolute maximum rating

Parameters	Symbol	Min.	Max.	Unit
				°
				°

Recommended operating environment

Parameter	Symbol	Min.	Typical	Max	Unit
					°

LOW Speed Characteristics

Parameter	Symbol	Min.	Typical	Max	Unit

Electrical characteristics

Parameter	Conditions	Symbol	Min.	Typical	Max	Unit
Transmitter						
Receiver						



--	--	--	--	--

General Specifications

Parameter	Symbol	Min.	Typical	Max	Unit	Notes



Digital Diagnostic Functions

Parameter	Symbol	Min.	Max	Unit	Notes
Accuracy					
Dynamic Range Accuracy					




Figure 2: Interface to Host PCB




Figure 3: Module Contact Assignment

Pin definition

Pin	Symbol	Name/Description

北亿纤通科技有限公司

F-TONE GROUP 集团旗下




Figure6. Mechanical Specifications

Regulatory Compliance

Feature	Agency	Standard



Ordering information

Part Number	Product Description

References

Important Notice